













- [21] F. K. Hartati and T. Trivena, "Utilization of basil leaf extract (*Ocimum bacilicum* L.) as an alternative to reducing formalin levels in white tofu," *Journal of Agricultural Product Technology*, vol. 17, no. 1, p. 1, May 2024, doi: 10.20961/jthp.v17i1.67017.
- [22] R. Dwimayasanti, W. F. Ma'ruf, and P. H. Riyadi, "Effectiveness of kedondong leaf solution (*Spondias* sp.) as a reducing formalin level in milkfish fillets (*Chanos chanos* F.) during cold storage," *Journal of Processing and Biotechnology of Fishery Products*, vol. 3, no. 2, pp. 44–51, 2014.
- [23] C. Daniela, H. Rusmarilin, and H. Sinaga, "The potential of aloe vera juice and lemon juice in reducing formalin in tofu," *SainHealth Journal*, vol. 2, no. 1, pp. 13–20, 2018.
- [24] BSN, *Frozen fish fillet*. Jakarta: Badan Standarisasi Nasional, 2013.
- [25] A. Chamidah and G. S. Burhana, "Antimicrobial Activity of *Padina gymnospora* Extract on Mackerel Fillet (*Scomberomorus commerson*) at Cold Temperature during 9 Days Storage," *JFMR (Journal of Fisheries and Marine Research)*, vol. 6, no. 1, pp. 142–151, 2022.